

The **Ignite** **Family** of Electric Fireplaces



 **IGNITE**[®]

 **Dimplex**[®]

About Dimplex

At **Dimplex**, comfort is more than just a temperature, it's the feeling of warmth on a quiet morning, the glow of a welcoming space, and the **confidence that comes from technology designed to perform beautifully and reliably.**

As part of the Glen Dimplex Group, the world's largest manufacturer of electrical heating, **we've been redefining comfort since 1973 through innovation, design excellence, and a commitment to sustainability.** From pioneering the first electric fireplace with a "wood burning" flame effect to leading the way with technologies like Optiflame® and Optimyst®, **our products are crafted to be both functional and visually striking, enhancing residential, commercial, and hospitality spaces alike.**

What truly sets Dimplex apart is our **customer-first approach**, backed by a **responsive service team** and an **Extended Warranty Program** that ensures peace of mind long after installation. Whether you're creating a cozy retreat or a bold commercial statement, **Dimplex is your trusted partner in bringing comfort to life.**



** Flame shown in image is Dynamic-Fire*

IGNITE ULTRA®

Innovate your Space, Ignite your Style.



Modern Elegance
Sleek design and cutting-edge technology create a focal point that exudes modernism.



Adaptable Design
A modular unit that lets you fit your vision with four installation choices: front-facing, left-corner, right-corner, or bay.



Natural Hearth
Delivers the most authentic flame and log combination for an unmatched and lifelike fire experience.



Rhythmic Inner Glow Logs
Features quick connect, moveable logs enhanced with inner glow technology that pulse in rhythm with the dancing flames.



Total Control
Harness total control of your fireplace with the Dimplex Flame Connect App. You can also use the included wall-mountable remote control (optional) or 3-button control panel on the fireplace.

Flame Effects



Dynamic-Fire Multi-Fire



Flex-Flame Feature
Simple to change component provides true flame customization.



All-Season Flames
Enjoy the ambience of flames 365 days a year, with or without heat.



Crackling Sound Effects
Enhance your sensory journey with the soothing sound of a crackling natural wood fire.



ComfortSaver® Heating
On-demand supplemental heating for up to 1,000 sq. ft.



Scan for more information on dimensions, accessories, and technical details.



* Flame shown in image is Dynamic-Fire

Description	Order #	Model #	UPC
50" Linear Electric Fireplace	500003149	ULT50	781052152960
60" Linear Electric Fireplace	500003151	ULT60	781052152977
74" Linear Electric Fireplace	500003152	ULT74	781052152984
88" Linear Electric Fireplace	500003154	ULT88	781052152991
100" Linear Electric Fireplace	500003155	ULT100	781052153004

*For full specifications and installation details, see comparison chart on page 33.



** Flame shown in image is Dynamic-Fire*



ULT50

Product Dimensions (W x H x D)

54-5/8 × 27-1/2 × 15-3/8 in
138.7 × 69.9 × 39.1 cm



ULT60

Product Dimensions (W x H x D)

64-5/8 × 27-1/2 × 15-3/8 in
164.1 × 69.9 × 39.1 cm



ULT74

Product Dimensions (W x H x D)

78-5/8 × 27-1/2 × 15-3/8 in
199.7 × 69.9 × 39.1 cm



ULT88

Product Dimensions (W x H x D)

92-5/8 × 27-1/2 × 15-3/8 in
235.3 × 69.9 × 39.1 cm



ULT100

Product Dimensions (W x H x D)



104-5/8 × 27-1/2 × 15-3/8 in
265.7 × 69.9 × 39.1 cm



Dimensions and Installation Guide

Product Dimensions

Description	Model #	A	B	C	D	E
50" Linear Electric Fireplace	ULT50	54-5/8" 138.7 cm	27-1/2" 69.6 cm	15-3/8" 39.1 cm	5-15/16" 15.1 cm	3-1/4" 8.2 cm
60" Linear Electric Fireplace	ULT60	64-5/8" 164.1 cm	27-1/2" 69.6 cm	15-3/8" 39.1 cm	5-15/16" 15.1 cm	3-1/4" 8.2 cm
74" Linear Electric Fireplace	ULT74	78-5/8" 199.7 cm	27-1/2" 69.6 cm	15-3/8" 39.1 cm	5-15/16" 15.1 cm	3-1/4" 8.2 cm
88" Linear Electric Fireplace	ULT88	92-5/8" 235.3 cm	27-1/2" 69.6 cm	15-3/8" 39.1 cm	5-15/16" 15.1 cm	3-1/4" 8.2 cm
100" Linear Electric Fireplace	ULT100	104-5/8" 265.7 cm	27-1/2" 69.6 cm	15-3/8" 39.1 cm	5-15/16" 15.1 cm	3-1/4" 8.2 cm



Installation Dimensions

Description	Model #	A	B	C
50" Linear Electric Fireplace	ULT50	50-3/4" 129.0 cm	28" 71.2 cm	15" 38.2 cm
60" Linear Electric Fireplace	ULT60	60-3/4" 154.4 cm	28" 71.2 cm	15" 38.2 cm
74" Linear Electric Fireplace	ULT74	74-3/4" 189.9 cm	28" 71.2 cm	15" 38.2 cm
88" Linear Electric Fireplace	ULT88	88-3/4" 225.5 cm	28" 71.2 cm	15" 38.2 cm
100" Linear Electric Fireplace	ULT100	100-3/4" 256.0 cm	28" 71.2 cm	15" 38.2 cm

ULT50 Carton Dimensions (W x H x D) 53-7/8 x 33-1/8 x 20-5/8 in (136.8 x 84.2 x 52.5 cm) Packaged Weight 187.4 lbs / 85.0 kg	ULT60 Carton Dimensions (W x H x D) 63-7/8 x 33-1/8 x 20-5/8 in (162.2 x 84.2 x 52.5 cm) Packaged Weight 209.4 lbs / 95.0 kg	ULT74 Carton Dimensions (W x H x D) 77-7/8 x 33-1/8 x 20-5/8 in (198.1 x 84.2 x 52.5 cm) Packaged Weight 246.9 lbs / 112.0 kg	ULT88 Carton Dimensions (W x H x D) 91-7/8 x 33-1/8 x 20-5/8 in (233.4 x 84.2 x 52.5 cm) Packaged Weight 275.6 lbs / 130.0 kg	ULT100 Carton Dimensions (W x H x D) 103-7/8 x 33-1/8 x 20-5/8 in (264.3 x 84.2 x 52.5 cm) Packaged Weight 308.6 lbs / 140.0 kg
--	--	---	---	---



* Flame shown in images is Multi-Fire



Make a Bold Statement.




Total Control
For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.



- A Bold Statement**
Incredible depth, unparalleled flames and an increased viewing height create a focal piece in your space.
- Outdoor Certified**
From cozy nights on the deck to lively outdoor gatherings, Ignite Bold® is certified for outdoor use, so the glow follows wherever life happens.
- Design Versatility**
Install the fireplace your way to fit your space. Front-facing, right or left-corner and bay, all in one box.
- Multi-Fire® Flame Effect**
Patented Dimplex flame effect produces vivid, realistic flames that ignite the senses.

- All-Season Flames**
Enjoy the ambience of flames 365 days a year, with or without heat.
- Smart Self-Diagnostics**
Have peace of mind with the self-diagnosing module that makes fixing issues simple, backed by a limited warranty: 5-year for indoor installation and 1-year for outdoor.
- Enhanced Personalization**
Experience your fireplace, your way with endless options of flame and ember bed colors and custom flame speeds.
- ComfortSaver® Heating**
On-demand supplemental heating for up to 1,000 sq. ft.



Scan for more information on dimensions, accessories, and technical details.

Description	Order #	Model #	UPC
50" Linear Electric Fireplace	X-XLF5017-XD	XLF5017-XD	781052137226
60" Linear Electric Fireplace	X-XLF6017-XD	XLF6017-XD	781052137233
74" Linear Electric Fireplace	X-XLF7417-XD	XLF7417-XD	781052137257
88" Linear Electric Fireplace	X-XLF8817-XD	XLF8817-XD	781052137264
100" Linear Electric Fireplace	X-XLF10017-XD	XLF10017-XD	781052137271

*For full specifications and installation details, see comparison chart on page 33.



XLF5017-XD
Product Dimensions (W x H x D)
50-1/2 × 23-7/8 × 12-1/8 in
128.4 × 60.7 × 30.7 cm



XLF6017-XD
Product Dimensions (W x H x D)
63-1/8 × 23-7/8 × 12-1/8 in
160.3 × 60.7 × 30.7 cm



XLF7417-XD
Product Dimensions (W x H x D)
75-5/8 × 23-7/8 × 12-1/8 in
192.2 × 60.7 × 30.7 cm



XLF8817-XD
Product Dimensions (W x H x D)
88-1/4 × 23-7/8 × 12-1/8 in
224.2 × 60.7 × 30.7 cm





XLF10017-XD
Product Dimensions (W x H x D)
100-3/4 × 23-7/8 × 12-1/8 in
255.9 × 60.7 × 30.7 cm




Dimensions and Installation Guide

Product Dimensions

Description	Model #	A	B	C	D	E
50" Linear Electric Fireplace	XLF5017-XD	50-1/2" 128.4 cm	23-7/8" 60.7 cm	12-1/8" 30.7 cm	3-7/8" 9.7 cm	2" 5.0 cm
60" Linear Electric Fireplace	XLF6017-XD	63-1/8" 160.3 cm	23-7/8" 60.7 cm	12-1/8" 30.7 cm	3-7/8" 9.7 cm	2" 5.0 cm
74" Linear Electric Fireplace	XLF7417-XD	75-5/8" 192.2 cm	23-7/8" 60.7 cm	12-1/8" 30.7 cm	3-7/8" 9.7 cm	2" 5.0 cm
88" Linear Electric Fireplace	XLF8817-XD	88-1/4" 224.2 cm	23-7/8" 60.7 cm	12-1/8" 30.7 cm	3-7/8" 9.7 cm	2" 5.0 cm
100" Linear Electric Fireplace	XLF10017-XD	100-3/4" 255.9 cm	23-7/8" 60.7 cm	12-1/8" 30.7 cm	3-7/8" 9.7 cm	2" 5.0 cm



XLF5017-XD Carton Dimensions (W x H x D) 55-3/8 x 28-3/8 x 16-4/8 in (140.5 x 72.0 x 42.0 cm) Packaged Weight 124.6 lbs / 56.5 kg	XLF6017-XD Carton Dimensions (W x H x D) 66-7/8 x 28-3/8 x 16-4/8 in (170.0 x 72.0 x 42.0 cm) Packaged Weight 147.7 lbs / 67.0 kg	XLF7417-XD Carton Dimensions (W x H x D) 80-2/8 x 28-3/8 x 16-4/8 in (203.8 x 72.0 x 42.0 cm) Packaged Weight 171.5 lbs / 77.8 kg	XLF8817-XD Carton Dimensions (W x H x D) 92-2/8 x 28-3/8 x 16-4/8 in (234.4 x 72.0 x 42.0 cm) Packaged Weight 201.5 lbs / 91.4 kg	XLF10017-XD Carton Dimensions (W x H x D) 105-1/2 x 28-3/8 x 16-4/8 in (268.0 x 72.0 x 42.0 cm) Packaged Weight 223.3 lbs / 101.3 kg
---	---	---	---	--



Installation Dimensions

Description	Model #	A	B	C
50" Linear Electric Fireplace	XLF5017-XD	49-1/2" 125.7 cm	24-1/4" 61.6 cm	11-5/8" 29.5 cm
60" Linear Electric Fireplace	XLF6017-XD	62-1/4" 158.1 cm	24-1/4" 61.6 cm	11-5/8" 29.5 cm
74" Linear Electric Fireplace	XLF7417-XD	74-5/8" 189.5 cm	24-1/4" 61.6 cm	11-5/8" 29.5 cm
88" Linear Electric Fireplace	XLF8817-XD	87-3/16" 221.5 cm	24-1/4" 61.6 cm	11-5/8" 29.5 cm
100" Linear Electric Fireplace	XLF10017-XD	99-3/4" 253.4 cm	24-1/4" 61.6 cm	11-5/8" 29.5 cm
Multi-Unit Configuration	Custom Length	Add widths of units used	24-1/4" 61.6 cm	11-5/8" 29.5 cm



IGNITE evolve®

The Future of Fireplaces has Evolved.



Comfort & Aesthetic

Stunning flames, ember bed and lifelike driftwood work together to create an authentic fire experience.



Outdoor Certified

From cozy nights on the deck to lively outdoor gatherings, Ignite Evolve® is certified for outdoor use, so the glow follows wherever life happens.



Complete Personalization

Endless personalization, indoors and out, with adjustable flame speed, color, and ember bed settings to make this fireplace uniquely yours.



Multi-Fire® Flame Effect

Patented Dimplex flame effect produces vivid, realistic flames that ignite the senses.



Total Control

For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.

Flame Options Available



ComfortSaver Heating

On-demand supplemental heating for up to 1,000 sq. ft.



All-Season Flames

Enjoy the ambience of flames 365 days a year, with or without heat.



Seamless Installation

Fully recesses into a 2×6 wall with or without trim for an edgeless design, now certified for outdoor installation, offering even more flexibility for your space.



Smart Self-Diagnostics

Have peace of mind with the self-diagnosing module that makes fixing issues simple, backed by a limited warranty: 5-year for indoor installation and 1-year for outdoor.



Scan for more information on dimensions, accessories, and technical details.



Description	Order #	Model #	UPC
50" Linear Electric Fireplace	500002573	EVO50	781052151987
60" Linear Electric Fireplace	500002574	EVO60	781052151994
74" Linear Electric Fireplace	500002608	EVO74	781052152007
100" Linear Electric Fireplace	500002563	EVO100	781052152014

*For full specifications and installation details, see comparison chart on page 33.





EVO50
Product Dimensions (W x H x D)
51-3/8 × 16-1/2 × 5-3/4 in
130.6 × 41.9 × 14.6 cm



EVO60
Product Dimensions (W x H x D)
61-1/4 × 16-1/2 × 5-3/4 in
155.6 × 41.9 × 14.6 cm



EVO74
Product Dimensions (W x H x D)
75-3/8 × 16-1/2 × 5-3/4 in
191.4 × 41.9 × 14.6 cm





EVO100
Product Dimensions (W x H x D)
101-3/8 × 16-1/2 × 5-3/4 in
257.5 × 41.9 × 14.6 cm

Dimensions and Installation Guide

Product Dimensions

Description	Model #	A	B	C	D	E
50" Linear Electric Fireplace	EVO50	51-3/8" 130.6 cm	16-1/2" 41.9 cm	5-3/4" 14.6 cm	4-3/8" 11.0 cm	15-7/8" 40.2 cm
60" Linear Electric Fireplace	EVO60	61-1/4" 155.6 cm	16-1/2" 41.9 cm	5-3/4" 14.6 cm	4-3/8" 11.0 cm	15-7/8" 40.2 cm
74" Linear Electric Fireplace	EVO74	75-3/8" 191.4 cm	16-1/2" 41.9 cm	5-3/4" 14.6 cm	4-3/8" 11.0 cm	15-7/8" 40.2 cm
100" Linear Electric Fireplace	EVO100	101-3/8" 257.5 cm	16-1/2" 41.9 cm	5-3/4" 14.6 cm	4-3/8" 11.0 cm	15-7/8" 40.2 cm



Installation Dimensions

Description	Model #	A	B	C - 2×4	C - 2×6
50" Linear Electric Fireplace	EVO50	50-5/8" 128.6 cm	16" 40.6 cm	3-1/2" 9.0 cm	5-1/2" 14.0 cm
60" Linear Electric Fireplace	EVO60	60-5/8" 154.0 cm	16" 40.6 cm	3-1/2" 9.0 cm	5-1/2" 14.0 cm
74" Linear Electric Fireplace	EVO74	74-5/8" 189.7 cm	16" 40.6 cm	3-1/2" 9.0 cm	5-1/2" 14.0 cm
100" Linear Electric Fireplace	EVO100	100-5/8" 255.7 cm	16" 40.6 cm	3-1/2" 9.0 cm	5-1/2" 14.0 cm

EVO50 Carton Dimensions (WxHxD) 56-1/2 × 21-1/2 × 12-3/8 in (143.5 × 54.6 × 31.2 cm) Packaged Weight 84.9 lbs / 38.6 kg	EVO60 Carton Dimensions (WxHxD) 66-1/2 × 21-1/2 × 12-3/8 in (168.9 × 54.6 × 31.2 cm) Packaged Weight 99.7 lbs / 45.3 kg	EVO74 Carton Dimensions (WxHxD) 81-1/8 × 21-1/2 × 12-3/8 in (206.0 × 54.6 × 31.2 cm) Packaged Weight 116.8 lbs / 53.1 kg	EVO100 Carton Dimensions (WxHxD) 106-3/4 × 21-1/2 × 12-3/8 in (271.0 × 54.6 × 31.2 cm) Packaged Weight 159.3 lbs / 72.4 kg
---	---	--	--





Designed to Ignite your Passion.



Easy Control
Use the included remote or hidden touch controls to easily operate your fireplace.

Flame Options Available



Classic Charm
Flickering flames and acrylic crystals create a stunning feature while providing ambience to any room.



Outdoor Certified
From cozy nights on the deck to lively outdoor gatherings, Ignite XL® is certified for outdoor use, so the glow follows wherever life happens.



Simple Comfort
Instantly transform your space into a cozy retreat with simple controls and zero hassles.



Multi-Fire® Flame Effect
Patented Dimplex flame effect produces vivid, realistic flames that ignite the senses.



ComfortSaver Heating
On-demand supplemental heating for up to 1,000 sq. ft.



All-Season Flames
Enjoy the ambience of flames 365 days a year, with or without heat.



Seamless Installation
Fully recesses into a 2×6 wall with or without trim for an edgeless design, now certified for outdoor installation, offering even more flexibility for your space.



Worry-Free Operation
Backed by a limited warranty: 5-year for indoor installation and 1-year for outdoor, with little to no maintenance, all you have to do is enjoy.



Scan for more information on dimensions, accessories, and technical details.



Description	Order #	Model #	UPC
50" Linear Electric Fireplace	X-XLF50	XLF50	781052098725
60" Linear Electric Fireplace	X-XLF60	XLF60	781052118478
74" Linear Electric Fireplace	X-XLF74	XLF74	781052098756
100" Linear Electric Fireplace	X-XLF100	XLF100	781052104594

*For full specifications and installation details, see comparison chart on page 33.





XLF50

Product Dimensions (W x H x D)

51-3/8 × 16-1/2 × 5-3/4 in
130.6 × 41.9 × 14.6 cm



XLF60

Product Dimensions (W x H x D)

61-3/8 × 16-1/2 × 5-3/4 in
156.0 × 41.9 × 14.6 cm



XLF74

Product Dimensions (W x H x D)

75-3/8 × 16-1/2 × 5-3/4 in
191.6 × 41.9 × 14.6 cm



XLF100

Product Dimensions (W x H x D)



101-3/8 × 16-1/2 × 5-3/4 in
257.6 × 41.9 × 14.6 cm



Dimensions and Installation Guide

Product Dimensions

Description	Model #	A	B	C	D	E
50" Linear Electric Fireplace	XLF50	51-3/8" 130.6 cm	16-1/2" 41.9 cm	5-3/4" 14.6 cm	4-3/8" 11.0 cm	15-7/8" 40.2 cm
60" Linear Electric Fireplace	XLF60	61-3/8" 156.0 cm	16-1/2" 41.9 cm	5-3/4" 14.6 cm	4-3/8" 11.0 cm	15-7/8" 40.2 cm
74" Linear Electric Fireplace	XLF74	75-3/8" 191.6 cm	16-1/2" 41.9 cm	5-3/4" 14.6 cm	4-3/8" 11.0 cm	15-7/8" 40.2 cm
100" Linear Electric Fireplace	XLF100	101-3/8" 257.6 cm	16-1/2" 41.9 cm	5-3/4" 14.6 cm	4-3/8" 11.0 cm	15-7/8" 40.2 cm



Installation Dimensions

Description	Model #	A	B	C - 2×4	C - 2×6
50" Linear Electric Fireplace	XLF50	50-5/8" 128.7 cm	16" 40.6 cm	3-1/2" 9.0 cm	5-1/2" 14.0 cm
60" Linear Electric Fireplace	XLF60	60-5/8" 154.0 cm	16" 40.6 cm	3-1/2" 9.0 cm	5-1/2" 14.0 cm
74" Linear Electric Fireplace	XLF74	74-5/8" 189.7 cm	16" 40.6 cm	3-1/2" 9.0 cm	5-1/2" 14.0 cm
100" Linear Electric Fireplace	XLF100	100-5/8" 255.7 cm	16" 40.6 cm	3-1/2" 9.0 cm	5-1/2" 14.0 cm

XLF50

Carton Dimensions (W x H x D)
56-3/8 x 21-1/4 x 12 in
(143.2 x 54.0 x 30.5 cm)
Packaged Weight
73.9 lbs / 33.5 kg

XLF60

Carton Dimensions (W x H x D)
68-3/8 x 21-1/4 x 12 in
(173.7 x 54.0 x 30.5 cm)
Packaged Weight
86.8 lbs / 39.4 kg

XLF74

Carton Dimensions (W x H x D)
80-1/8 x 21-1/4 x 12 in
(203.4 x 54.0 x 30.5 cm)
Packaged Weight
104.7 lbs / 47.5 kg

XLF100

Carton Dimensions (W x H x D)
106-3/8 x 21-1/4 x 12 in
(270.2 x 54.0 x 30.5 cm)
Packaged Weight
137.6 lbs / 62.4 kg

LEFT



FRONT



RIGHT



IGNITE® Quest

The Perfect Fusion of Tradition and Modern Sophistication.



Total Control
Harness total control of your fireplace with the Dimplex Flame Connect App. You can also use the included wall-mountable remote control (optional) or 3-button control panel on the fireplace.



Design Without Compromise
Blend the timeless comfort of a firebox with the sleek sophistication of a linear design, more than a fireplace, it's a statement.



Trusted Protection
Cool-to-touch glass and advanced safety features mean peace of mind, so you can focus on what matters: creating memories around the fire.



Authentic Ambience
From glowing logs to a pulsating ember bed, every detail evokes the charm of a wood-burning fire, without the mess.



Multi-Fire® Flame Effect
Patented Dimplex flame effect produces vivid, realistic flames that ignite the senses.



ComfortSaver® Heating System
On-demand supplemental heating for spaces up to 1,000 sq. ft., with or without heat, year-round.



Hybrid Elegance
A first-of-its-kind design that blends the classic charm of a traditional firebox with the sleek, modern aesthetic of a linear fireplace.



Smart Controls & Diagnostics
Simple operation via an integrated 3-button control panel, combined with smart self-diagnostics



Bay Installation
Create a stunning focal point with the optional three-sided bay design, Quest adapts beautifully.



Scan for more information on dimensions, accessories, and technical details.



Description	Order #	Model #	UPC
30" Electric Fireplace	QST30	500005298	781052157620
36" Electric Fireplace	QST36	500005299	781052157637
42" Electric Fireplace	QST42	500005300	781052157644
48" Electric Fireplace	QST48	500005301	781052157651

*For full specifications and installation details, see comparison chart on page 33.





QST30
Product Dimensions (W x H x D)
 30-5/8 × 36-5/8 × 17-1/2 in
 77.7 × 93.0 × 44.5 cm



QST36
Product Dimensions (W x H x D)
 36-5/8 × 36-5/8 × 17-1/2 in
 92.9 × 93.0 × 44.5 cm



QST42
Product Dimensions (W x H x D)
 42-5/8 × 36-5/8 × 17-1/2 in
 108.2 × 93.0 × 44.5 cm





QST48
Product Dimensions (W x H x D)
 48-5/8 × 36-5/8 × 17-1/2 in
 124.3 × 93.0 × 44.5 cm

IGNITE® Quest


Dimensions and Installation Guide

Product Dimensions

Description	Model #	A	B	C	D	E
30" Electric Fireplace	500005298	30-5/8" 77.7 cm	36-5/8" 93.0 cm	17-1/2" 44.5 cm	6-1/8" 15.5 cm	3-7/16" 8.7 cm
36" Electric Fireplace	500005299	36-5/8" 92.9 cm	36-5/8" 93.0 cm	17-1/2" 44.5 cm	6-1/8" 15.5 cm	3-7/16" 8.7 cm
42" Electric Fireplace	500005300	42-5/8" 108.2 cm	36-5/8" 93.0 cm	17-1/2" 44.5 cm	6-1/8" 15.5 cm	3-7/16" 8.7 cm
48" Electric Fireplace	500005301	48-5/8" 124.3 cm	36-5/8" 93.0 cm	17-1/2" 44.5 cm	6-1/8" 15.5 cm	3-7/16" 8.7 cm



*Applicable to the 30" and 36" units.



*Applicable to the 42" and 48" units.

Installation Dimensions

Description	Model #	A	B	C
30" Electric Fireplace	500005298	30-3/4" 78.2 cm	37-1/8" 94.3 cm	18" 45.8 cm
36" Electric Fireplace	500005299	36-3/4" 93.4 cm	37-1/8" 94.3 cm	18" 45.8 cm
42" Electric Fireplace	500005300	42-3/4" 108.6 cm	37-1/8" 94.3 cm	18" 45.8 cm
48" Electric Fireplace	500005301	48-3/4" 123.9 cm	37-1/8" 94.3 cm	18" 45.8 cm

LEFT



FRONT



RIGHT



QST30

Carton Dimensions
(W x H x D)
34-2/8 × 41 × 23-4/8 in
(86.9 × 104.2 × 59.5 cm)
Packaged Weight
203.0 lbs / 92.0 kg

QST36

Carton Dimensions
(W x H x D)
40-2/8 × 41 × 23-4/8 in
(102.2 × 104.2 × 59.5 cm)
Packaged Weight
216.0 lbs / 98.0 kg

QST42

Carton Dimensions
(W x H x D)
46-2/8 × 41 × 23-4/8 in
(117.4 × 104.2 × 59.5 cm)
Packaged Weight
229.0 lbs / 104.0 kg

QST48

Carton Dimensions
(W x H x D)
52-2/8 × 41 × 23-4/8 in
(132.6 × 104.2 × 59.5 cm)
Packaged Weight
242.0 lbs / 110.0 kg



Sleek Style. Captivating Flame.

Bring modern ambience to any space with bold linear design and vibrant, maintenance-free electric flames.

SERIES	IGNITE ULTRA®	IGNITE BOLD®	IGNITE EVOLVE®	IGNITE XL®	IGNITE® QUEST
Size	50", 60", 74", 88", 100"	50", 60", 74", 88", 100"	50", 60", 74", 100"	50", 60", 74", 100"	30", 36", 42", 48"
Ember Bed	Quick Connect Logs with Tumbled Glass Embers	Lifelike Driftwood with Acrylic Crystals	Tumbled Glass, Lifelike Driftwood, Acrylic Crystals	Acrylic Crystals	Quick Connect Logs with Tumbled Glass Embers
Ember Bed Themes & Brightness	3 Themes Adjustable Brightness	8 Themes Adjustable Brightness	8 Themes Adjustable Brightness	8 Themes Adjustable Brightness	3 Themes Adjustable Brightness
Flame Color Themes & Brightness	9 Themes Adjustable Brightness	7 Themes Adjustable Brightness	7 Themes Adjustable Brightness	1 Theme	9 Themes Adjustable Brightness
Top Light	•	•			
Flame Effect	Flex-Flame Feature: Dynamic-Fire and Multi-Fire®				
Flame Technology	Optiflame®				
Flame Speed	4	5	5		4
Flame Only Mode	•	•	•	•	•
Heater Only Mode	•	•	•	•	•
Air Circulation	•	•	•		•
Heat Operation	ComfortSaver® Heating				
Heating Area	1000 sq. ft.				
Heat Disable	Onboard Controls or Hardware Disconnect				
Built-in Thermostat	•	•	•	•	•
Wiring Type	Hardwire (Optional 120 V Plug Kit Included)				
Volts	120 240				
Watts	1500 2500				
BTU	5118 8530				
Operating Controls	Onboard, Remote, App	Hidden touch controls, Remote, App		Hidden touch controls, Remote	Onboard, Remote, App
Flame Connect App	•	•	•		•
Smart Self-Diagnostics	•	•	•		•
Display		•	•	•	
Timer	•	•	•	•	•
Installation Options	Fully recessed-front, right/left corner, and bay. Linking Kit - to connect multiple units		Fully recessed - 2x6, Partially recessed - 2x4 with trim-kit accessory		Fully recessed-front, right/left corner, and (with optional kit).
Optional Accessories	Ember Beds and Log Sets	Modular Linking Kit, Plug Kit, Ember Beds and Log Sets		Trim Kit, Ember Beds and Log Sets	Bay, left and right installation accessory kit
Warranty	5-year parts and service	5-year limited - Indoor 1-year limited - Outdoor			5-year parts and service

Enhance Your Fireplace Experience

Create a look that's uniquely yours with our Dimplex Accessory Program

Enhance the beauty and versatility of your fireplace with the included and optional accessories designed to complement any style. Whether you prefer a sleek modern aesthetic or a cozy traditional vibe, our range of accessories make it easy to customize your fireplace.



Tumbled Glass Ember Bed
These polished glass pieces sparkle with every flicker of the flame.
Order #500003421



New! Split Logs Faux Wood Logs
This newly designed accessory combines rustic texture with modern flame effects.
Order #500004458





dimplex.com
1-800-668-6663

05102026_R02